



integrated Study and Test for Earthquake Precursors

Seismo-ionospheric Precursors Probed by Global Navigation Satellite System during the 12 May 2008 M8.0 Wenchuan Earthquake

J. Y. Liu

TIGER (Taiwan Ionospheric Group for Education and Research)

jyliu@jupiter.ss.ncu.edu.tw

National Central University, TAIWAN

International Beacon Satellite Symposium BSS-2016

Trieste, Italy




## Content


- GIM TEC detects seismo-ionospheric precursors (SIPs)
- Statistical analysis of SIPs associated with 36 M≥6.0 earthquakes
- Spatial SIPs in the GPS TEC of the M8.0 Wenchuan Earthquake
- Radio occultation observes SIP structures of the ionospheric electron density
- Conclusion



### Ionospheric total electron content (TEC derived from GPS

Receiver: YMSM (North Taiwan)





TEC (total electron content) unit: TECu  $(10^{16} \text{ ele/m}^2)$ 


ionosphere

Line-of-sight

$$S_o = [(x^i - x_j)^2 + (y^i - y_j)^2 + (z^i - z_j)^2]^{1/2}$$

 $(x_j,y_j,z_j)$ 

# SIP observed by GPS TEC






## China Earthquakes

1998/05/01~2008/05/12 36 M≥6.0 earthquakes 2008/5/12 M7.9 Wenchuan Earthquake





# Locations of the 35M≥6.0 earthquakes together with the Wenchuan earthquake occurred in China during May 1, 1998-May 12, 2008.





A time series of GPS TEC right above the epicenter of the M8.0 Wenchuan earthquake on May 15, 2008.








大學學術追求卓越發展計畫

地震電磁前兆研究






大學學術追求卓越發展計畫


地震電磁前兆研究

The GIMs observed at 08:00UT and global fixed 15:00 LT on day 6 before the 2008 Mw7.9 Sichuan Earthquake.




 $R = 10^{0.43M}$ 

電磁前兆研究 Precursors of Earthquake



D-3





tic ke



#### FORMOSAT-3/COSMIC




FORMOSAT-3/COSMIC Constellation was launch at 01:40 UTC, April 14, 2006 (Taiwan Time: April 15 2006) at Vandenberg Air Force Base, CA. Minotaur Launch. Initial orbit altitude ~515 km; inclination ~72° maneuvered into six different orbital planes for optimal global coverage (at ~800 km altitude)

COSMIC (Constellation Observing System for Meteorology, Ionosphere and Climate)





nature

Array system promises global atmospheric monitoring




# F3/C GPS Occultation Experiment





大學學術追求卓越發展計畫-

- 地震電磁前兆研究



## Conclusion

- The GPS TEC results show that the ionospheric electron density tends to decrease day 6-2 before the M8.0 Wenchuan and also M≥6.0 earthquakes in China.
- The spatial analyses show that the anomalies specifically appear over the epicenter, which strongly suggests that seismoionospheric precursors of the Wenchuan being observed.
- The FORMOSAT-3/COSMIC reveals that the F2-peak electron density and altitude reduces and descends, respectively, when the GPS TEC significantly decreases on day 6-2 before the Wenchuan earthquake.
- In contrast, the F2-peak electron density and altitude respectively enhances and ascends, when the GPS TEC anomalously increases over the epicenter and its conjugate point on day 3 before the Wenchuan earthquake.



## Thank you!!!

